

# What's new?



**ORLANDO** park fixture.  
New collections of **facade fixtures**.  
Rechargeable **desk lamps**.







## Reliable park LED fixtures

# ORLANDO

- Luminous flux of 10,000 lumens - provides excellent visibility
- Perfect for outdoor applications - street lighting, parking lots, parks and other public areas
- Adapted to installation on most types of poles:  $\varnothing$  55 mm-76 mm
- The fixture is compatible with supply voltages from 180V to 250V, making it suitable for a variety of electrical systems.

LD-ORL100W-40



			
LD-ORL100W-40	100 W	10 000 lm	5902801482915



## LED luminaires

# MARS

- 3 years warranty
- The luminaire with three-stage power adjustment (12, 18, 24 W) and color temperature (3000 K, 4000 K, 6500 K) allows full adjustment of the lighting to the user's needs;
- Two easily accessible switches on the back of the luminaire and a convenient detachment system from the mounting bracket for quick and easy operation.
- The unique design emits light down and to the sides, ensuring a wide and even distribution of light in the room
- Consistent light efficiency of 100 lm/W in any configuration.

LD-MAR24W-12W-CCT-00








LD-MAR24W-12W-CCT-15



LD-MAR24W-12W-CCT-10



					
LD-MAR24W-12W-CCT-00					5902801499913
LD-MAR24W-12W-CCT-10	24-18-12W	100 lm/W	2000 K 4000 K 6500 K	780 g	5902801499937
LD-MAR24W-12W-CCT-15					5902801499951





ceiling lamps series

# ALTAR I TULA

- 3 years warranty
- A versatile lighting solution that is perfect for both office and home spaces.
- The neutral light color (4000 K) creates an eye-pleasing environment that supports concentration without causing visual fatigue.
- The fixture is suitable for places exposed to moisture, but not directly exposed to water.

## ALTAR

LD-ALT24W-NW-10








LD-ALT24W-NW-80



LD-ALT24W-NW-40








				
LD-ALT24W-NW-10	24 W	1680 lm	429 g	5902801433054
LD-ALT24W-NW-80				5902801400667
LD-ALT24W-NW-40				5902801432866



## TULA



				
LD-TUL24W-NW-00	24 W	1680 lm	429 g	5902801432941
LD-TUL24W-NW-80				5902801421662
LD-TUL24W-WW-40				5902801433238





Rechargeable lamps series

# AZELIA | FIZZI

- 3 years warranty
- Built-in battery with a capacity of 4000 mAh;
- Dimming function activated by holding the switch longer;
- The lamp is charged using a USB-C cable;
- The foot of the lamp is finished with delicate felt that prevents scratching the surface on which it stands.






## AZELIA


LD-AZELIA-10-DEC



LD-AZELIA-00-DEC








				
LD-AZELIA-10-DEC	2,5 W	200 lm	850 g	5902801471018
LD-AZELIA-00-DEC				5902801470943



## FIZZI



				
LD-FIZZI-10-DEC	2,5 W	200 lm	780 g	5902801471353
LD-FIZZI-00-DEC				5902801471612





GTV








## LED floodlight **WORKY**

- Two adjustable light modules - each with a power of 10 W, enabling independent setting of the lighting angle;
- Ergonomic handle that also serves as a stand;
- The floodlight is equipped with a 5000 mAh battery; it can also be used as a portable power source for other devices;
- Three-stage switching system allows you to choose between both light modules, one lower or one upper.

LD-WORKY-2X10W-64



				
LD-WORKY-2X10W-64	2×10 W	1200 lm	560 g	5902801499975





LED facade luminaires

# TERRO







- 3 years warranty
- Luminaires available with and without motion sensor;
- Degree of tightness IP54;
- Luminous flux 1000 lm.

LD-TER10WB-10



LD-TER10WBPIR-10



					
LD-TER10WBPIR-10	10 W	1000 lm	4000 K	500 g	5902801434525
LD-TER10WB-10				400 g	5902801493515





facade fixture  
**SARO**

- > 3 years warranty
- > Fixture designed with modern spaces in mind;
- > The lampshade is made of polycarbonate and is resistant to yellowing;
- > Luminous flux 900 lm.

LD-SARO9WB-10



LD-SARO9WB-10	10 W	900 lm	4000 K	900 g	5902801431586





## Facade fixtures

# LEO




- 3 years warranty
- Powder-coated aluminum body;
- Built-in E27 socket;

OS-LEOE27B-10



OS-LEOE27G-30



		
OS-LEOE27B-10	900 g	5902801493546
OS-LEOE27G-30		5902801493577











## LED facade luminaire **TROPEA**

- 3 years warranty
- Polycarbonate lampshade resistant to yellowing.
- Luminous efficiency 100 lm/W.

LD-TRO10WB-10



					
LD-TRO10WB-10	10 W	1000 lm	4000 K	375 g	5902801493591





## facade fixtures **VASTI**




- The E27 socket allows the user to independently select the light power and color, adapting the lighting to individual needs;
- The aluminum body and the opal polycarbonate diffuser guarantee high resistance to external conditions;
- The fixture combines elegance and functionality, offering users the opportunity to choose between black and graphite colors.

OS-VASE27B-10



OS-VASE27G-30



		
OS-VASE27B-10	900 g	5902801431678
OS-VASE27G-30		5902801431883





## microwave motion sensor

# CM-12 DIP

- Transform any standard ceiling lamp into a luminaire with a motion sensor, without having to replace the entire luminaire;
- Quick connectors enable simple and quick sensor connection, without the need for specialized tools or technical knowledge;
- Adjustment of sensor parameters using DIP switch;
- The ability to adjust the lighting time, detection range and daylight sensor ensures optimal use of lighting in accordance with the user's needs and lighting conditions.

AE-CM1200-00-DIP



AE-CM1200-00-DIP	300 W	2000 W	45 g	5902801497094






## microwave motion sensor **CM-12 POT**

- Transform any standard ceiling lamp into a luminaire with a motion sensor, without having to replace the entire luminaire;
- Quick connectors enable simple and quick sensor connection, without the need for specialized tools or technical knowledge;
- Adjustment of sensor parameters using three potentiometers;
- The ability to adjust the lighting time, detection range and daylight sensor ensures optimal use of lighting in accordance with the user's needs and lighting conditions.

AE-CM1200-00-POT



AE-CM1200-00-POT	300 W	2000 W	45 g	5902801497070






## microwave motion sensor **CM-13-DIM**

- Transform any standard ceiling lamp into a luminaire with a motion sensor, without having to replace the entire luminaire;
- Quick connectors enable simple and quick sensor connection, without the need for specialized tools or technical knowledge;
- Adjustment of sensor parameters using three potentiometers;
- The sensor has a corridor function.

AE-CM1300-00-DIM



	max		
AE-CM1300-00-DIM	600 W	65 g	5902801497117



solar floodlight  
**GUARDOS**



solar floodlight  
**LUMOS II**



solar floodlight  
**DAVOS**



LED park luminaire  
**GALI**



high-bay  
**ATLANTA**



LED floodlight  
**NELI**



# 3rd Quarter'24

NEWS

LED fitting  
**STERN**

