


# What's new?



drawer system

# AXIS PRO

with glass sides and inner front panel

# AXIS PRO

*glass sides and inner front panel*

## Interior front panels\*

- ⊕ Glass front 1100 mm long, in three heights  
56 mm, 88 mm, 139 mm
- ⊕ The panel is made of non-tempered  
glass, which can be easily cut  
to any length



- ⊕ The perfect solution that allows you  
to adjust them to the individual  
dimensions of the drawer.
- ⊕ Stylish finish in two fashionable colours:  
milky white and smoky black
- ⊕ Dedicated to drawers with glass sides





## Drawers with glass sides

- ⊕ Ready-made set with insteelled glass, no need to cut the glass elements
- ⊕ Glass sides made of tempered glass

- ⊕ Proven, certified product durability confirmed at 60,000 cycles
- ⊕ Full extension in lengths from 300-550 mm








- ⊕ Soft close mechanism and load capacity up to 40 kg for complete comfort
- ⊕ Three fashionable colours: white, anthracite, black

Low inner front panel



\*complementary product

NEW






	 H mm	 L mm		
PB-AXISPRO-GLASS-PAWEW-A1	56	1100	white	glass
PB-AXISPRO-GLASS-PAWEW-A2			black	

Medium inner front panel



\*complementary product

NEW






	 H mm	 L mm		
PB-AXISPRO-GLASS-PAWEW-B1	88	1100	white	glass
PB-AXISPRO-GLASS-PAWEW-B2			black	

High inner front panel



\*complementary product

NEW




	 H mm	 L mm		
PB-AXISPRO-GLASS-PAWEW-C1	139	1100	white	glass
PB-AXISPRO-GLASS-PAWEW-C2			black	

Low inner front connector



\*complementary product

NEW




		
PB-AXISPRO-GLASS-WEWMOCA1	white	steel
PB-AXISPRO-GLASS-WEWMOCA	anthracite	

Medium inner front connector



\*complementary product

NEW




		
PB-AXISPRO-GLASS-WEWMOCB1	white	steel
PB-AXISPRO-GLASS-WEWMOCB	anthracite	

High inner front connector




\*complementary product

NEW






		
PB-AXISPRO-GLASS-WEWMOCC1	white	steel
PB-AXISPRO-GLASS-WEWMOCC	anthracite	

Low inner drawer kit



\*complementary product

NEW

	 H mm	 L mm		
PB-AXISPRO-GLASS-ZEWEW-A1	110	1200	white	steel
PB-AXISPRO-GLASS-ZEWEW-A			anthracite	






The kit does not include a glass panel.

Meidum inner drawer kit



\*complementary product

NEW

	 H mm	 L mm		
PB-AXISPRO-GLASS-ZEWEW-B1	95	1200	white	steel
PB-AXISPRO-GLASS-ZEWEW-B			anthracite	






The kit does not include a glass panel.

High inner drawer kit



\*complementary product




NEW




	 H mm	 L mm		
PB-AXISPRO-GLASS-ZEWEW-C1	110	1200	white	steel
PB-AXISPRO-GLASS-ZEWEW-C			anthracite	

The kit does not include a glass panel.






	 mm	
PB-AXISPRO-GLASS-KPL300A1	300	white
PB-AXISPRO-GLASS-KPL350A1	350	
PB-AXISPRO-GLASS-KPL400A1	400	
PB-AXISPRO-GLASS-KPL450A1	450	
PB-AXISPRO-GLASS-KPL500A1	500	
PB-AXISPRO-GLASS-KPL550A1	550	
PB-AXISPRO-GLASS-KPL300A	300	anthracite
PB-AXISPRO-GLASS-KPL350A	350	
PB-AXISPRO-GLASS-KPL400A	400	
PB-AXISPRO-GLASS-KPL450A	450	
PB-AXISPRO-GLASS-KPL500A	500	
PB-AXISPRO-GLASS-KPL550A	550	black
PB-AXISPRO-GLASS-KPL300A2	300	
PB-AXISPRO-GLASS-KPL350A2	350	
PB-AXISPRO-GLASS-KPL400A2	400	
PB-AXISPRO-GLASS-KPL450A2	450	
PB-AXISPRO-GLASS-KPL500A2	500	
PB-AXISPRO-GLASS-KPL550A2	550	

	 mm	
PB-AXISPRO-GLASS-KPL300B1	300	white
PB-AXISPRO-GLASS-KPL350B1	350	
PB-AXISPRO-GLASS-KPL400B1	400	
PB-AXISPRO-GLASS-KPL450B1	450	
PB-AXISPRO-GLASS-KPL500B1	500	
PB-AXISPRO-GLASS-KPL550B1	550	
PB-AXISPRO-GLASS-KPL300B	300	anthracite
PB-AXISPRO-GLASS-KPL350B	350	
PB-AXISPRO-GLASS-KPL400B	400	
PB-AXISPRO-GLASS-KPL450B	450	
PB-AXISPRO-GLASS-KPL500B	500	
PB-AXISPRO-GLASS-KPL550B	550	




	 mm	
PB-AXISPRO-GLASS-KPL300C1	300	white
PB-AXISPRO-GLASS-KPL350C1	350	
PB-AXISPRO-GLASS-KPL400C1	400	
PB-AXISPRO-GLASS-KPL450C1	450	
PB-AXISPRO-GLASS-KPL500C1	500	
PB-AXISPRO-GLASS-KPL550C1	550	
PB-AXISPRO-GLASS-KPL300C	300	anthracite
PB-AXISPRO-GLASS-KPL350C	350	
PB-AXISPRO-GLASS-KPL400C	400	
PB-AXISPRO-GLASS-KPL450C	450	
PB-AXISPRO-GLASS-KPL500C	500	
PB-AXISPRO-GLASS-KPL550C	550	
PB-AXISPRO-GLASS-KPL300C2	300	black
PB-AXISPRO-GLASS-KPL350C2	350	
PB-AXISPRO-GLASS-KPL400C2	400	
PB-AXISPRO-GLASS-KPL450C2	450	
PB-AXISPRO-GLASS-KPL500C2	500	
PB-AXISPRO-GLASS-KPL550C2	550	






- ⊕ NEW COLOURS: the collection has been expanded with cashmere and brushed steel finishes.
- ⊕ Modern handles with rounded edges.

- ⊕ Edge handles allow for a subtle integration effect between the profile and the furniture front.
- ⊕ The collection is distinguished by its elegant, simple design, perfect for modern interiors.



- ⊕ Handles available in spacing: 32, 96, 160, 192 mm and in a 1200 mm length.

	 mm	 mm			
UA-HEXA-32-23	32 mm	50 mm	cashmere	aluminium	
UA-HEXA-96-23	96 mm	150 mm			
UA-HEXA-160-23	160 mm	190 mm			
UA-HEXA-192-23	192 mm	225 mm			
UA-HEXA-1200-23	3×352 mm	1200 mm			
UA-HEXA-32-06	32 mm	50 mm	brushed steel		
UA-HEXA-96-06	96 mm	150 mm			
UA-HEXA-160-06	160 mm	190 mm			
UA-HEXA-192-06	192 mm	225 mm			
UA-HEXA-1200-06	3×352 mm	1200 mm			



# ANCHOR







- ⊕ Classic leg in a modern version  
- distinguished by its characteristic angled shape, which adds style and character to furniture. The leg has a cylindrical shape and tapers towards the bottom.

- ⊕ Made from high-quality steel, ensuring its durability and functionality.
- ⊕ The leg has been coated with varnish, providing an elegant appearance and additional protection.
- ⊕ Ideal and functional support for any sofa, armchair, or chest of drawers in any room.



- ⊕ The leg ends with a plastic foot that protects the floor from scratches and stabilizes the furniture.
- ⊕ Available in four heights: 100 mm, 120 mm, 130 mm, and 150 mm, allowing for the leg to be tailored to various furniture.
- ⊕ Color: classic matte black.

	 H mm		
NM-ANCHOR-100-20M	100	matte black	steel + plastic
NM-ANCHOR-120-20M	120		
NM-ANCHOR-130-20M	130		
NM-ANCHOR-150-20M	150		



# furniture legs **FORM**







- ⊕ Modern, subtle leg that stands out with its slender shape.
- ⊕ The leg adds elegance and lightness to furniture through its unique, angled design.

- ⊕ Made from high-quality steel, ensuring its durability and functionality.
- ⊕ The FORM leg ends with a plastic foot that protects the floor from scratches and stabilizes the furniture.



- ⊕ This leg is an ideal and practical support for any sofa, armchair, and chest of drawers.
- ⊕ Color: classic matte black.
- ⊕ Dimensions: 46 x 138 mm, height: 150 mm.

	 H mm		
NM-FORM-150-20M	150 mm	matte black	steel + plastic



# furniture legs **SPIRE**



- ⊕ Leg with a modern, stylish design. It features a cylindrical shape that tapers towards the bottom.
- ⊕ Made from high-quality steel, ensuring its durability and functionality.

- ⊕ The leg has been coated with paint (black version) or zinc (gold version). Painting and galvanization protect against corrosion, extend the leg's lifespan, and enhance durability, providing additional protection.



- ⊕ The Spire leg ends with a plastic foot that protects the floor from scratches and stabilizes the furniture.
- ⊕ Colors: classic matte black and brushed gold.
- ⊕ Dimensions: 80 x 80 mm, height: 130 mm.



	 H mm		
NM-SPIRE-130-20M	130 mm	matte black	steel + plastic
NM-SPIRE-130-18	130 mm	brushed gold	steel + plastic



# STABILIS







- ⊕ Elegant leg with a unique design. Characterized by a simple, rounded shape.
- ⊕ Made from high-quality steel, ensuring its durability and functionality.

- ⊕ The leg has been coated with varnish, providing an elegant appearance and additional protection.
- ⊕ Provides ideal and functional support for upholstered furniture and cabinets.



- ⊕ The leg ends with a plastic foot that protects the floor from scratches and stabilizes the furniture.
- ⊕ Available in two heights: 120 mm and 150 mm.

			
NM-STABILIS-120-20M	120 mm	matte black	steel + plastic
NM-STABILIS-150-20M	150 mm		



# furniture legs **SQUARE**







- ⊕ Simple leg with a subtle cylindrical shape that tapers towards the bottom.
- ⊕ Made from high-quality steel, ensuring its durability and functionality.

- ⊕ The leg has been coated with varnish, providing an elegant appearance and additional protection.
- ⊕ Its shape perfectly complements any sofa, armchair, or chest of drawers.



- ⊕ The Square leg ends with a plastic foot that protects the floor from scratches and stabilizes the furniture.
- ⊕ Color: classic matte black.
- ⊕ Dimensions: 100 x 100 mm, height: 150 mm.

			
NM-SQUARE-150-20M	150 mm	matte black	steel + plastic



furniture legs

# STAR




- ⊕ Modern leg with a distinctive angled shape and original star-like design.
- ⊕ Made from high-quality steel, ensuring its durability and functionality.

- ⊕ The leg has been coated with varnish, providing an elegant appearance and additional protection.
- ⊕ The unique structure of the leg gives furniture style and character.
- ⊕ Perfectly serves as an elegant and practical support for any sofa, armchair, and chest of drawers.



- ⊕ The leg ends with a plastic foot that protects the floor from scratches and stabilizes the furniture.
- ⊕ Color: classic matte black.

	 H mm		
NM-STAR-105-20M	105 mm	matte black	steel + plastic
NM-STAR-125-20M	125 mm		
NM-STAR-135-20M	135 mm		
NM-STAR-155-20M	155 mm		




# Fixture LED **POINT**







- ⊕ Made of high-quality aluminum ensuring durability and a modern look.
- ⊕ Compatible with the Easy Click system.

- ⊕ Adjustable beam angle 50°.
- ⊕ 25° focusing lens.
- ⊕ Power supply: 12V DC, 1.2W, 1x3030 LED.



- ⊕ Colour temperature: 4000K.
- ⊕ Cable length: 1.5 m.
- ⊕ Colour: black.

			
LD-PO-20	1,2 W	65 lm	30 g



# POINT MINI







**DIAMENT**  
meblarstwa  
2025



- ⊕ Made of high-quality aluminum ensuring durability and a modern look.
- ⊕ Compatible with the Easy Click system.

- ⊕ Adjustable beam angle of 60°.
- ⊕ Light focusing lens 25°.
- ⊕ Power supply: 12V DC, 0.5W, 1x2835 LED.



- ⊕ Color temperature: 4000K.
- ⊕ Cable length: 2 m.
- ⊕ Colour: black.

			
LD-POM-20	0,5 W	40 lm	30 g



# Furniture Socket **BASCO**







- ⊕ Desktop socket with mounting.
- ⊕ Socket mounted on the edge of a countertop with a thickness from 5 mm to 50 mm. No drilling required.

- ⊕ Equipped with 3x Schuko socket with grounding or USB A+C ports.



- ⊕ Colours: white and black.
- ⊕ Cable length: 1.5 m.

			
AE-GMBAS3S2U-10	schuko	USB-A + USB-C	625 g
AE-GMBAS3S2U-20			
AE-GMBAS3U2U-10	french		
AE-GMBAS3U2U-20			



# Furniture Socket **RONDO**







- ⊕ Round socket recessed into the countertop.
- ⊕ The variety of ports ensures a wide range of functionality.

- ⊕ Equipped with a Schuko socket, USB A, and two USB C ports.
- ⊕ Equipped with an RJ45 and HDMI socket.



- ⊕ Colours: white and black.
- ⊕ Cable length: 1.5 m.

				
AE-GMRON1S3URH-10		schuko	USB-A + USB-C	460 g
AE-GMRON1S3URH-20				



# Furniture Socket **MULTISOFT**



- ⊕ An addition to the SOFT socket family.
- ⊕ Distinguished by its multifunctionality due to various ports.

- ⊕ Equipped with 2x Schuko sockets or with grounding.

- ⊕ Flush-mounted tabletop socket, easy installation.



- ⊕ USB A+C, RJ45 ports or HDMI option.
- ⊕ Colours: white, black, and aluminum.

			
AE-PBSUR2GS-20	2 x schuko	USB A+C, RJ45	aluminum/ plastic
AE-PBSUR2GS-10			
AE-PBSUR2GS-53			
AE-PBSUR2GU-20	2 x french		
AE-PBSUR2GU-10			
AE-PBSUR2GU-53			
AE-PBSURH2GS-20	2 x schuko		
AE-PBSURH2GS-10			
AE-PBSURH2GS-53			
AE-PBSURH2GU-20	2 x french		
AE-PBSURH2GU-10			
AE-PBSURH2GU-53			



## Dimmable Touch Switch **RING**







- ⊕ Dedicated switch for turning on, off, and dimming LED fixtures and LED strips.
- ⊕ Dimming function activated by pressing and holding the switch.

- ⊕ Easy to mount and connect.
- ⊕ Aesthetic finish and minimalist design make this switch a universal component for installations.
- ⊕ Comes with 2x2m cables with mini amp connectors.




- ⊕ For a 12V supply, the maximum load of the switch is 36W. For a 24V supply, the switch can handle a light source up to 72W.
- ⊕ Colour: black with chrome frame.

			
AE-WDRIN-20	12 V/ 24 V	3A	plastic



## Edge Dimmable Touch Switch

# BORD






- ⊕ Used for turning on, off, and dimming LED light fixtures and strips.
- ⊕ A short touch turns the light on or off, while a long touch dims or brightens the lighting.
- ⊕ Power supply: 12V, 24V, max 16A.

- ⊕ Aesthetic finish and minimalist design make this switch a universal element for installations.
- ⊕ Mounted under the counter or shelf.
- ⊕ Comes with 2x2m cables with mini amp connectors.



- ⊕ For 12V, the maximum load of the switch is 36W. At 24V, the switch can connect to a light source up to 72W.
- ⊕ Colour: silver.
- ⊕ Protection rating: IP 20.


<div></div>			
AE-WDKBOR-53	12V/24V	3A	plastic




# TOUCHLESS DIMMABLE SWITCH FOR LED PROFILES








- ⊕ Enables quick and easy mounting of LED strips with a „click”.



- ⊕ Switch with COB connector.
- ⊕ Power supply: 12 V and 24 V, max. 3A or 5 A.



- ⊕ Option with a cable length of 15 cm, 2 m or without cable.

				
AE-WLPRKON-60	5 A	max 60 W 12 V max 120 W 24 V	12 V/24 V	plastic
AE-WLPRKON-60P15	3 A	max 36 W 12 V max 72 W 24 V		
AE-WLPRKON-60P200	3 A			

